

## SNC-HMX70 Software

### Release Note

Version 6.51.0028  
December 20, 2018  
Sony Corporation

#### Revision History

#	Date	Version	Changes and comments
1	2018/12/20	6.51.0028	● Bug Fix

Contents

1 About this release version ..... 4

1-1 General information ..... 4

1-2 Software version upgrade procedure ..... 4

1-3 Operation Environment..... 4

1-4 Compatibility ..... 4

1-5 ONVIF Conformance ..... 4

2 Specification Change ..... 4

2-1 Specification changed in Ver. 6.51.0028 ..... 4

3 Improvement to Problems ..... 5

3-1 Problems corrected in Ver. 6.51.0028 ..... 5

## **1 About this release version**

### **1-1 General information**

This version is Ver. 6.51.0028 for SNC-HMX70

### **1-2 Software version upgrade procedure**

To upgrade the software of the camera to this version, be sure to use SNC toolbox V.1.6.0 or higher. For the version upgrade procedure, refer to the Upgrade Manual

### **1-3 Operation Environment**

The following operation environment is required for a computer to be used for viewing and controlling the camera image.

OS

Windows 7 (32-bit, 64 bit) or higher

Web browser

Microsoft Internet Explorer ver. 11.0 or higher

Software needed

DirectX 11

MPEG-ActiveX 6.14 or newer

CPU

Dual Core Hyper-Threading Technology or more.

Display

3848 x 2024 pixel or more

### **1-4 Compatibility**

There is no change on CGI commands, RTSP, other network protocols and the streaming format those have been released on Ver.6.51.0019 about connectivity between the external network devices and the camera.

### **1-5 ONVIF Conformance**

This firmware version validates ONVIF conformance with ONVIF Device Test Tool version 18.06 SR1 rev. 4531.

## **2 Specification Change**

### **2-1 Specification changed in Ver. 6.51.0028**

- The Security has been enhanced.
- The password reset mechanism has been changed. When clearing passwords, password for the authorization level will be set as a default password. Passwords for other authorization level will not be changed. The user can then logon to the camera using user 'service' with password 'service'. He should then change the password for the service user again.

### **3 Improvement to Problems**

#### **3-1 Problems corrected in Ver. 6.51.0028**

- Minor improvements in ONVIF profile T compatibility have been implemented.