



* The image printed on this card is only a sample.

RC-SA01 contactless IC chip supports greatly-enhanced security with the adoption of Advanced Encryption Standard (AES).

* FeliCa Standard SD1 : The 1st generation of the IC chips and their products of FeliCa Standard products which support AES encryption.

EAL6+
Common Criteria

Multi-
application

FEATURES

Highest level of security for contactless smart-card chip

RC-SA01 IC chip has enhanced security provided by AES encryption.

The product is the contactless IC card chip with embedded software which has acquired EAL6+ certification in accordance with Common Criteria (ISO/IEC 15408), the international standard for evaluation criteria in IT security.

Multi-application platform with higher performance and reliability

Higher transaction speed is achieved for every type of card application, such as transportation ticket and e-payment. In addition, the IC chip achieves lower power consumption than the current FeliCa™ IC chips. The new Error Checking and Correcting (ECC) functionality improves the reliability of non-volatile memory data.

Able to communicate with NFC Forum-compatible readers


The chip complies with Type 3 Tag functionality defined by the NFC Forum. Therefore, the card with the chip can communicate with NFC-compatible smartphones and readers.

PRODUCT SPECIFICATIONS

		RC-SA01
Communication method		Conforms to ISO/IEC 18092 (212 kbps or 424 kbps Passive communication mode)
Operating frequency		13.56 MHz
Communication speed		212 kbps and 424 kbps automatically switchable
Supported encryption		AES encryption
Supported commands		AES-encrypted commands Non-encrypted commands
Non-volatile memory	Size (Type)	4 Kbytes EEPROM
	User memory	160 blocks (1 block=16 bytes)
	Data retention period	50 years (25 °C), 10 years (85 °C)
	Write endurance	500,000 times (25 °C), 100,000 times (85 °C)
Operating temperature		-25 °C to +100 °C (Quality and reliability are assured when the operating temperature is within the range of -25 °C to +85 °C.)
Storage temperature		-55 °C to +125 °C

For technical documents about this product, see “Technical Information” on the FeliCa website: sony.net/Products/felica/business/tech-support/

TYPICAL SYSTEM LAYOUT



- Features, design, and specifications are subject to change without notice.
- SONY and FeliCa are registered trademarks or trademarks of Sony Group Corporation or its affiliates.
- FeliCa is a contactless IC card technology developed by Sony Corporation.
- All other trademarks are the property of their respective owners.

Sony Corporation
FeliCa Business Division, Service Business Group

Sony City Osaki 2-10-1 Osaki Shinagawa-ku, Tokyo, 141-8610 Japan

FeliCa website

sony.net/felica/

June, 2021

E2012-29-03